

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| L1 | 18 | ((updat\$3 or modif\$6 or chang\$3) with (unfilter\$3 near4 (source\$1 or (index near2 tree) or trie or hierachical or table\$1)))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 15:19 |
| L2 | 15 | 1 and (@ad<"20010426" or @rlad<"20010426") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:21 |
| L3 | 4 | filter\$3 same (reciev\$3 with (external near2 (data or record\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:17 |
| L4 | 4 | 3 and (@ad<"20010426" or @rlad<"20010426") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:17 |
| L5 | 4 | filter\$3 same (reciev\$3 with (external near2 (source\$1 or database\$1 or data or record\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:18 |
| L6 | 4 | filter\$3 same (reciev\$3 with ((external or outside or nonresidential) near2 (source\$1 or database\$1 or data or record\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:18 |
| L7 | 4 | (filter\$3 or sort\$) same (reciev\$3 with ((external or outside or nonresidential) near2 (source\$1 or database\$1 or data or record\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:19 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| L8 | 4 | (filter\$3 or sort\$3 or quer\$3) same (reciev\$3 with ((external or outside or nonresidential) near2 (source\$1 or database\$1 or data or record\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:19 |
| L9 | 4 | (filter\$3 or sort\$3 or quer\$3) same (reciev\$3 with ((external or outside or nonresidential) near2 (source\$1 or database\$1 or data or record\$1 or device\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:19 |
| L10 | 4 | (filter\$3 or sort\$3 or quer\$3) same (reciev\$3 with ((external or outside or (non near2 (local o residential))) near2 (source\$1 or database\$1 or data or record\$1 or device\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:20 |
| L11 | 209 | (filter\$3 or sort\$3 or quer\$3) same ((reciev\$3 or import\$3) with ((external or outside or (non near2 (local o residential))) near2 (source\$1 or database\$1 or data or record\$1 or device\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:21 |
| L12 | 5 | (filter\$3 or sort\$3 or quer\$3) same (reciev\$3 with ((external or outside or (non near2 (local o residential))) with (source\$1 or database\$1 or data or record\$1 or device\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:24 |
| L13 | 5 | 12 and (@ad<"20010426" or @rlad<"20010426") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:22 |
| L14 | 85 | 11 and (@ad<"20010426" or @rlad<"20010426") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:37 |

EAST Search History

| | | | | | | |
|-----|-------|--|--|----|-----|------------------|
| L15 | 23 | 14 and ("707"/\$.ccls. or "715"/\$.ccls.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:37 |
| L16 | 24590 | (filter\$3 or sort\$3 or quer\$3) with ((external or outside or (non near2 (local or residential))) with (source\$1 or database\$1 or data or record\$1 or device\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:25 |
| L17 | 12280 | (filter\$3 or sort\$3 or quer\$3) with ((external or outside) near4 (source\$1 or database\$1 or data or record\$1 or device\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:26 |
| L18 | 10357 | (filter\$3 or sort\$3) with ((external or outside) near4 (source\$1 or database\$1 or data or record\$1 or device\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:28 |
| L19 | 6032 | 18 and (@ad<"20010426" or @rlad<"20010426") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:26 |
| L20 | 10257 | (filter\$3 or sort\$3) with ((external or outside) near4 (source\$1 or data or record\$1 or device\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:36 |
| L21 | 45 | (filter\$3 or sort\$3) with ((external or outside) near4 (source\$1 or data or record\$1 or device\$1)) same ((tranform\$5 or translat\$3 or convert\$5) with format\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:36 |

EAST Search History

| | | | | | | |
|-----|---------|---|--|----|-----|------------------|
| L22 | 2322289 | "31" and (@ad<"20010426" or @rlad<"20010426") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:37 |
| L23 | 32 | 21 and (@ad<"20010426" or @rlad<"20010426") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:37 |
| L24 | 7 | 23 and ("707"/\$.ccls. or "715"/\$.ccls.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:37 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time-Stamp |
|-------|------|---|--|------------------|---------|------------------|
| L1 | 18 | ((updat\$3 or modif\$6 or chang\$3) with (unfilter\$3 near4 (source\$1 or (index near2 tree) or trie or hierachical or table\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 15:19 |
| L2 | 15 | 1 and (@ad<"20010426" or @rlad<"20010426") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:21 |
| L3 | 4 | filter\$3 same (reciev\$3 with (external near2 (data or record\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:17 |
| L4 | 4 | 3 and (@ad<"20010426" or @rlad<"20010426") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:17 |
| L5 | 4 | filter\$3 same (reciev\$3 with (external near2 (source\$1 or database\$1 or data or record\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:18 |
| L6 | 4 | filter\$3 same (reciev\$3 with ((external or outside or nonresidential) near2 (source\$1 or database\$1 or data or record\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:18 |
| L7 | 4 | (filter\$3 or sort\$) same (reciev\$3 with ((external or outside or nonresidential) near2 (source\$1 or database\$1 or data or record\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:19 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| L8 | 4 | (filter\$3 or sort\$3 or quer\$3) same (reciev\$3 with ((external or outside or nonresidential) near2 (source\$1 or database\$1 or data or record\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:19 |
| L9 | 4 | (filter\$3 or sort\$3 or quer\$3) same (reciev\$3 with ((external or outside or nonresidential) near2 (source\$1 or database\$1 or data or record\$1 or device\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:19 |
| L10 | 4 | (filter\$3 or sort\$3 or quer\$3) same (reciev\$3 with ((external or outside or (non near2 (local o residential))) near2 (source\$1 or database\$1 or data or record\$1 or device\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:20 |
| L11 | 209 | (filter\$3 or sort\$3 or quer\$3) same ((reciev\$3 or import\$3) with ((external or outside or (non near2 (local o residential))) near2 (source\$1 or database\$1 or data or record\$1 or device\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:21 |
| L12 | 5 | (filter\$3 or sort\$3 or quer\$3) same (reciev\$3 with ((external or outside or (non near2 (local o residential))) with (source\$1 or database\$1 or data or record\$1 or device\$1))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:24 |
| L13 | 5 | 12 and (@ad<"20010426" or @rlad<"20010426") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:22 |
| L14 | 85 | 11 and (@ad<"20010426" or @rlad<"20010426") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:37 |

EAST Search History

| | | | | | | |
|-----|-------|---|--|----|-----|------------------|
| L15 | 23 | 14 and ("707"/\$.ccls. or "715"/\$.ccls.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:37 |
| L16 | 24590 | (filter\$3 or sort\$3 or quer\$3) with ((external or outside or (non near2 (local or residential))) with (source\$1 or database\$1 or data or record\$1 or device\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:25 |
| L17 | 12280 | (filter\$3 or sort\$3 or quer\$3) with ((external or outside) near4 (source\$1 or database\$1 or data or record\$1 or device\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:26 |
| L18 | 10357 | (filter\$3 or sort\$3) with ((external or outside) near4 (source\$1 or database\$1 or data or record\$1 or device\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:28 |
| L19 | 6032 | 18 and (@ad<"20010426" or @rlad<"20010426") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:26 |
| L20 | 10257 | (filter\$3 or sort\$3) with ((external or outside) near4 (source\$1 or data or record\$1 or device\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:36 |
| L21 | 45 | (filter\$3 or sort\$3) with ((external or outside) near4 (source\$1 or data or record\$1 or device\$1)) same ((transform\$5 or translat\$3 or convert\$5) with format\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:36 |

EAST Search History

| | | | | | | |
|-----|---------|---|--|----|-----|------------------|
| L22 | 2322289 | "31" and (@ad<"20010426" or @rlad<"20010426") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:37 |
| L23 | 32 | 21 and (@ad<"20010426" or @rlad<"20010426") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:37 |
| L24 | 7 | 23 and ("707"/\$.ccls. or "715"/\$.ccls.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/10 17:37 |